

WHITE SPIRIT

LAWS.NO:0104

TEST	LIMIT	TEST METHOD
Density @ 15°C Kg/l	775min	ASTM D-1298
Aromatic content %vol	20(max)	ASTM D-1319
IBP °C	Min 142	ASTM D-86
10%Evaporated	Min 158	ASTM D-86
50%Evaporated	Max 190	ASTM D-86
90%Evaporated	Max 210	ASTM D-86
FBP °C	Max 230	ASTM D-86
Doctor test	Neg .	ASTM D-4952
Flash point ,tag °c	38°C	ASTM D-56
Color , saybolt	25(Min)	ASTM D-156
Sulfur Total % mass (max)	0.1(max)	ASTM D-1266
Corrosion 3hr @ 100°C	1A	ASTM D-130